

## WEST Search History for Application 10607167

Creation Date: 2008052317:54

Query	DB	Op.	Plur.	Thes.	Date
(re\$1verif\$7 or re\$1vector\$) with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-23-2008
6697884.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((standard\$4 or common) near format) or conver\$4 or translat\$3) with (control near (command or request or query))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(control near (command or request or query)) same driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((((standard\$4 or common) near format) or conver\$4 or translat\$3) with (control near (command or request or query))) ) and ((control near (command or request or query)) same driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device with (initializ\$5 or hot\$1swap\$\$ or detect\$3) and (((standard\$4 or common) near format) or conver\$4 or translat\$3) with (control near (command or request or query)) and (control near (command or request or query)) same driver )	PGPB, USPT, USOC, EPAB, JPAB,	OR			05-23-2008

	DWPI, TDBD				
(reply or response or result) same (control near (command or request or query))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(((((standard\$4 or common) near format) or conver\$4 or translat\$3) with (control near (command or request or query)) and (control near (command or request or query)) same driver ) and ((reply or response or result) same (control near (command or request or query)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(reply or response or result) with (control near (command or request or query))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(((((standard\$4 or common) near format) or conver\$4 or translat\$3) with (control near (command or request or query)) and (control near (command or request or query)) same driver ) and ((reply or response or result) with (control near (command or request or query)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device with (id or identif\$6) near (request or command or query or instruction)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(generic\$4 or translat\$3 or conver\$4 or ((standard\$4 or common) near format)) near (request or query or command)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(device with (id or identif\$6) near (request or command or query or instruction) ) and ((generic\$4 or translat\$3 or	PGPB, USPT,	OR			05-23-2008

conver\$4 or ((standard\$4 or common) near format)) near (request or query or command )	USOC, EPAB, JPAB, DWPI, TDBD				
(error or fault or fail\$3 or problem)near (request or query or command)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(device with (id or identif\$6) near (request or command or query or instruction) and (generic\$4 or translat\$3 or conver\$4 or ((standard\$4 or common) near format)) near (request or query or command) ) and ((error or fault or fail\$3 or problem)near (request or query or command) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
generat\$3 with ((device or handler) near (id or identif\$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(detect\$3 or inser\$4 or hot\$1swap\$4 or iinitializ\$5) near device	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(generat\$3 with ((device or handler) near (id or identif\$5))) ) and ((detect\$3 or inser\$4 or hot\$1swap\$4 or iinitializ\$5) near device )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(standardiz\$5 or common or generic\$4) near format and (generat\$3 with ((device or handler) near (id or identif\$5)) and (detect\$3 or inser\$4 or hot\$1swap\$4 or iinitializ\$5) near device )	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR			05-23-2008

	TDBD				
generat\$3 near ((device or handler) near (id or identif\$5))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(standardiz\$5 or common or generic\$4) near format and (generat\$3 near ((device or handler) near (id or identif\$5)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
generat\$3 with ((device or handler) near (id or identif\$5))near format	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
generat\$3 with ((device or handler) near (id or identif\$5)) with format	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((device or handler) near (id or identif\$5)) with format	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((detect\$3 or inser\$4 or hot\$1swap\$4 or iinitializ\$5) near device ) and (((device or handler) near (id or identif\$5)) with format )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
ide/atapi and parameter near (information or data)	PGPB, USPT, USOC,	OR			05-23-2008

	EPAB, JPAB, DWPI, TDBD				
bridge adj driver same ((device near (id or identif\$6)) or (parameter near (information or data)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
bridge adj driver and ((device near (id or identif\$6)) or (parameter near (information or data)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device near initializ\$5 same (device adj handler or (identif\$6 or id) or ((standard\$4 or common) near format))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(client or application or host) near (request or command or query)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(device near initializ\$5 same (device adj handler or (identif\$6 or id) or ((standard\$4 or common) near format)) ) and ((client or application or host) near (request or command or query) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and (device near initializ\$5 same (device adj handler or (identif\$6 or id) or ((standard\$4 or common) near format)) and (client or application or host) near (request or command or query) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008

(atapi or ide) with (id or identif\$6) near (request or query or command)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(atapi or ide) same (id or identif\$6) near (request or query or command)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(atapi or ide) and ((id or identif\$6) near (request or query or command)) with (conver\$4 or translat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
8272717	JPAB	OR			05-23-2008
6282586.pn.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
LEE-HYONG-KYUN!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			05-23-2008
pointer with ((command or control) near table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
pointer near ((ini or initializ\$4) near file)	PGPB, USPT, USOC,	OR			05-23-2008

	EPAB, JPAB, DWPI, TDBD				
pointer with ((ini or initializ\$4) near file)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
pointer with ((ini or initializ\$4) near file)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(pointer with ((command or control) near table) ) and (pointer with ((ini or initializ\$4) near file) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
command near (id or identifier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(pointer with ((command or control) near table) ) and (command near (id or identifier) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(device or driver) near table	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008

(pointer with ((command or control) near table) ) and ((device or driver) near table )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((command or control) near table) with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(command near (id or identifier) ) and (((command or control) near table) with driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
function near pointer and command near (id or identifier)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((device or driver) near table with (command near (table or id or identifier)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
pointer near ((command or control) near table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((device or driver) near table ) and (pointer near ((command or control) near table) )	PGPB, USPT, USOC, EPAB,	OR			05-23-2008



	JPAB, DWPI, TDBD				
pointer near ((command near control) near table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
pointer with ((command near control) near table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
pointer with ((device or driver) near table)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(command near (id or identifier) ) and (pointer with ((device or driver) near table) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
control near block with (handler or pointer) near (configuration or ini or initializ\$4) near (data or file)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
control near block with (configuration or ini or initializ\$4) near (data or file)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(open or close) near channel		OR			05-23-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(control near block with (configuration or ini or initializ\$4) near (data or file) ) and ((open or close) near channel )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(reset or write or read) near pointer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((open or close) near channel ) and ((reset or write or read) near pointer )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(control near block with (configuration or ini or initializ\$4) near (data or file) ) and ((open or close) near channel and (reset or write or read) near pointer )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device adj control adj block	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(configuration or ini or initializ\$4) near (data or file)	PGPB, USPT, USOC, EPAB,	OR			05-23-2008

	JPAB, DWPI, TDBD				
(device adj control adj block ) and ((configuration or ini or initializ\$4) near (data or file) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(pointer or handle) near device adj control adj block	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
level near 2 near initialization	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
level near (1 or 2) with initialization	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
level near (1 or 2) with initializ\$4	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(driver or device) near initializ\$4 and (level near (1 or 2) with initializ\$4 )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
		OR			05-23-2008

((conver\$4 or translat\$3) near application near (request or command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((conver\$4 or translat\$3) near application near (request or command or call)) ) and (((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((conver\$4 or translat\$3) near (request or command or call))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver) ) and (((conver\$4 or translat\$3) near (request or command or call)) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
generic near interface with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
'5874960'.pn.	USPT	OR			05-23-2008
'5784615'.pn.	USPT	OR			05-23-2008
'5680620'.pn.	USPT	OR			05-23-2008

calls near indirect\$3 with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
indirect\$3 near driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
control near command and (indirect\$3 near driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and (control near command and indirect\$3 near driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and (generic near interface with driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(call or request) with indirect\$3 near driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
access\$3 near indirect\$3 with driver	PGPB, USPT, USOC, EPAB,	OR			05-23-2008

	JPAB, DWPI, TDBD				
((translat\$3 or conver\$5) near (calls or request)) with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and (((translat\$3 or conver\$5) near (calls or request)) with driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((translat\$3 or conver\$5) near commands) with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device near handler near (identifier or id)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(device or handler) near (identifier or id)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(((translat\$3 or conver\$5) near commands) with driver ) and ((device or handler) near (identifier or id) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
		OR			05-23-2008

(device near initializ\$5) with ((device or handler) near (id or identifier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(application or program or system) near (call or request or commands) with ((device or handler) near (id or identifier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
US-5909592-A.did.	USPT	OR			05-23-2008
US-5909592-A.did.	USPT	OR			05-23-2008
unsigned near integer with ((device or handler) near (id or identifier))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
unsigned near integer with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
unsigned near integer and driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
initializ\$4 near device and (unsigned near integer and driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
pointer with driver near chang\$3		OR			05-23-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
vary\$3 near address with pointer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
chang\$3 near (first or second) near driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
vary\$3 near pointer with driver	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
vary\$3 near pointer	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
driver near intializ\$4 and (vary\$3 near pointer )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
chang\$3 near driver	PGPB, USPT, USOC, EPAB,	OR			05-23-2008



	JPAB, DWPI, TDBD				
(vary\$3 near pointer ) and (chang\$3 near driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
handle near (device or instrument)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(vary\$3 near pointer ) and (handle near (device or instrument) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(handle near (device or instrument) ) and (chang\$3 near driver )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(719/321 1719/322 1719/323 1719/324 1719/325 1719/326 1719/327).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(710/3 1710/4 1710/5 1710/6 1710/7 1710/8 1710/9 1710/10).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(713/1 1713/2 1713/100).ccls.		OR			05-23-2008

	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
(719/328).ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((719/321 719/322 719/323 719/324 719/325 719/326 719/327).ccls. ) or ((710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10).ccls. ) or ((713/1 713/2 713/100).ccls. ) or ((719/328).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(chang\$3 near driver ) and ((719/321 719/322 719/323 719/324 719/325 719/326 719/327).ccls. or (710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10).ccls. or (713/1 713/2 713/100).ccls. or (719/328).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((abstract\$3 or transparen\$2 or dll or librar\$3 or generic\$4 or api) near driver ) and (chang\$3 near driver and (719/321 719/322 719/323 719/324 719/325 719/326 719/327).ccls. or (710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10).ccls. or (713/1 713/2 713/100).ccls. or (719/328).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
LEE-HYONG-KYUN!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			05-23-2008
device adj control adj block	PGPB, USPT, USOC, EPAB,	OR			05-23-2008

	JPAB, DWPI, TDBD				
driver near initializ\$3 and (device adj control adj block )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(719/321 719/322 719/323 719/324 719/325 719/326 719/327 719/328).ccls. and (device adj control adj block )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device near (handler or id or identif\$6) same ((common or standardiz\$5) near format)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(layer\$3 or hierarch\$3) near driver same (((common or standardiz\$5) near format) or conver\$3 or translat\$3)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((719/321 719/322 719/323 719/324 719/325 719/326 719/327).ccls. or (710/3 710/4 710/5 710/6 710/7 710/8 710/9 710/10).ccls. or (713/1 713/2 713/100).ccls. or (719/328).ccls. ) and ((layer\$3 or hierarch\$3) near driver same (((common or standardiz\$5) near format) or conver\$3 or translat\$3) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
LEE-HYONG-KYUN!	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB	OR			05-23-2008
LEE-HYONG-KYUN!		OR			05-23-2008

	TDBD, DWPI, JPAB, EPAB, USOC, USPT, PGPB				
driver near (hierarch\$3 or layer\$3 or intermediate)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((driver near (hierarch\$3 or layer\$3 or intermediate)).ab,ti.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
((719/321  719/322  719/323  719/324  719/325  719/326  719/327).ccls. or (710/3  710/4  710/5  710/6  710/7  710/8  710/9  710/10).ccls. or (713/1  713/2  713/100).ccls. or (719/328).ccls. ) and ((driver near (hierarch\$3 or layer\$3 or intermediate)).ab,ti. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and ((719/321  719/322  719/323  719/324  719/325  719/326  719/327).ccls. or (710/3  710/4  710/5  710/6  710/7  710/8  710/9  710/10).ccls. or (713/1  713/2  713/100).ccls. or (719/328).ccls. and (driver near (hierarch\$3 or layer\$3 or intermediate)).ab,ti. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(device near (id or identif\$6)) with (unsigned or ((logical or physical)) near (group or number))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and ((device near (id or identif\$6)) with (unsigned or ((logical or physical)) near (group or number)) )	PGPB, USPT, USOC, EPAB,	OR			05-23-2008

	JPAB, DWPI, TDBD				
@pd<20020808 and (device near (id or identif\$6)) with channel near number	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(driver near (hierarch\$3 or layer\$3 or intermediate)) and (@pd<20020808 and (device near (id or identif\$6)) with channel near number )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
(driver near (hierarch\$3 or layer\$3 or intermediate)) and ((719/321 1719/322 1719/323 1719/324 1719/325 1719/326 1719/327).ccls. or (710/3 1710/4 1710/5 1710/6 1710/7 1710/8 1710/9 1710/10).ccls. or (713/1 1713/2 1713/100).ccls. or (719/328).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
@pd<20020808 and ((driver near (hierarch\$3 or layer\$3 or intermediate)) and (719/321 1719/322 1719/323 1719/324 1719/325 1719/326 1719/327).ccls. or (710/3 1710/4 1710/5 1710/6 1710/7 1710/8 1710/9 1710/10).ccls. or (713/1 1713/2 1713/100).ccls. or (719/328).ccls. )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR			05-23-2008
device near initializ\$5	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-23-2008
(device near initializ\$5 ) and (driver near (hierarch\$3 or layer\$3 or intermediate or upper or lower))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-23-2008
		OR	YES		05-23-2008

((719/321  719/322  719/323  719/324  719/325  719/326  719/327).ccls. or (710/3  710/4  710/5  710/6  710/7  710/8  710/9  710/10).ccls. or (713/1  713/2  713/100).ccls. or (719/328).ccls. ) and (device near initializ\$5 and (driver near (hierarch\$3 or layer\$3 or intermediate or upper or lower))) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD				
@pd<20020808 and ((719/321  719/322  719/323  719/324  719/325  719/326  719/327).ccls. or (710/3  710/4  710/5  710/6  710/7  710/8  710/9  710/10).ccls. or (713/1  713/2  713/100).ccls. or (719/328).ccls. and device near initializ\$5 and (driver near (hierarch\$3 or layer\$3 or intermediate or upper or lower))) )	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-23-2008
@pd<20020808 and 719/321.ccls.	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-23-2008
((@pd<20020808 and 719/321.ccls. ) and (driver near (hierarch\$3 or layer\$3 or intermediate or upper or lower)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		05-23-2008